

THE FOG LOG™



**KEEP YOUR LIFT
STATIONS MIXED
AND AERATED**

info@risenwater.com

www.risenwater.com

770-742-3321

Patent Pending



BREAK UP THE FOG



Features

- Can do both fine or coarse bubble aeration
- No moving parts, no maintenance
- Plug-in compressor
- 316 Stainless Steel
- Simple to install
- Everything you need is included

Benefits

- Fights Clogs
- Reduces pump maintenance
- Aerates and mixes
- Reduces odors
- Reduces corrosive H₂S

LOWER THE LOG



Patent Pending

ORIENTED FOR FINE BUBBLE



THE FOG LOG™

TECHNICAL DATA SHEET




Mixing and Aeration for wet wells, lift stations, tanks
 Sits on the bottom or can hang suspended
 Can provide either coarse or fine bubble aeration
 depending on its orientation

Technology Specifications

Materials of Construction	316 SS, LDPE Diffuser Pipe
Minimum Water Depth	2'
Maximum Water Depth	40'
Dimensions Mixer	19.5" L x 15.5"W x 14" H
Weight of Mixer	49 lbs
Length of Chain	25'
Air Pump	PA-RP80P
Air Pump Cord Length / Plug	6 feet / 120V Grounded Outlet
Air Pump Specifications	120 V / 7.5 Amp / 60 Hz / 1 HP
Pump Enclosure Dimensions	19"L x 15.5"W x 21"H
Pump Enclosure Fan Specifications	0.35 Amps / 38 W
Pump Enclosure Fan Cord Length / Plug	4.5 feet / 120 Grounded Outlet
Length of Air Hose	50'
Warranty	2 Years Mixer, 1 Year Air Unit



ORIENTED FOR COARSE BUBBLE



Patent Pending

